

Product data sheet

Specifications



APC Replacement Battery Cartridge 159 with 2 Year Warranty

APCRBC159

Overview

Lead Time Usually in Stock

Main

Product Or Component Type	Replacement battery cartridge
Number Of Cables	1
Battery Type	Lead-Acid battery
Provided Equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure

Batteries & Runtime

Battery Slots Empty	0
Included Battery Modules	0
Device Mounting	Enclosed battery cartridge
Rbc Quantity	1

Physical

Color	Black
Height	3.27 in (8.3 cm)
Width	8.50 in (21.6 cm)
Depth	13.50 in (34.3 cm)
Net Weight	26.37 lb(US) (11.96 kg)
Mounting Mode	Not rack-mountable
Usb Compatible	No

Environmental

Ambient Air Temperature For Operation	32...104 °F (0...40 °C)
Operating Altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	5...113 °F (-15...45 °C)
Storage Altitude	0...50000 ft (0.00...15240.00 m)
Storage Relative Humidity	0...95 %

Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
Gtin	731304339618
Returnability	No

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.98 in (15.2 cm)
Package 1 Width	19.49 in (49.5 cm)
Package 1 Length	14.49 in (36.8 cm)
Package 1 Weight	27.78 lb(US) (12.6 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)