

General

Figure

NA Market Model

\

SA Market Model**32A4NV**

Internal Model

32A40QUV

Sales Market

USA, Canada, Mexico, Panama, Guatemala

Brand

Hisense

Premium Tech

MiniLed Technology

N

Quantum Dot Technology

N

AGLR(Low Reflection)

N

AI

Picture Quality

Class Size

32"

Display Area

31.5" diagonal

Panel type

VA HKC PT320AT02-5

Display Aspect Ratio

16:09

Display

Flat

Resolution

HD 1366*768

Native refresh rate(Hz)

60Hz

Peaking Brightness(typical nits)

200typ

Static Contrast Ratio (w/ Local Dimming)

3000 typ

Viewing Angle H/V

178/178

Response Time (ms)

8.5 ms

Color Depth

8 Bit

Backlight

FULL ARRAY

Local Dimming

N

Local Dimming Zones

NA

Wide Color Gamut

N

4K Upscale

N

MEMC

N

Motion Rate

60

Black Frame Insertion

N

HDR: Dolby Vision

N

HDR: HDR10+

N

HDR: HDR10

N

HDR: Hybrid Log Gamma (HLG)

N

HDR10+ Adaptive

N

HDR10+ Gaming

N

| | |
|-----------------|---|
| Dolby Vision IQ | N |
| Dolby Gaming | N |
| IMAx Enhanced | N |
| Film Maker Mode | N |
| Other features | |

Game

| | |
|-----------------------------|---|
| HDR game mode | N |
| HSR | N |
| VRR(Variable Refresh Rate) | N |
| ALLM(Auto Low-latency Mode) | N |
| FreeSync | N |
| G-Sync | N |
| Other Game features | N |

Audio Quality

| | |
|----------------------------------|-----------------|
| Audio Enhancement | DTS Virtual X |
| Multi-Channel Audio | 2.0 CH |
| Audio Power | 2*6W |
| Sound send | N |
| Speaker Type | Embedded (down) |
| Bluetooth Audio | N |
| Dual Audio-Bluetooth+ TV speaker | N |
| Dual Audio-2 Bluetooth | N |

TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.) N

Hardware&Ports

| | |
|-------------------------------|----------------------------|
| Wi-Fi | IEEE 802.11 b/g/n 2.4G |
| Bluetooth | N |
| RF Antenna | 1 |
| Supported Format | 480i、480p、720p、1080i、1080p |
| HDMI Inputs | HDMI1.4*2 |
| HDMI 4K@120Hz | N |
| HDMI-eARC | Y, HDMI2 |
| USB | USB2.0*1 |
| Ethernet (LAN) | 1 |
| Composite Video Input | 1 |
| L/R Audio Input for Composite | 1 |
| Earphone/Audio Output | 1 |
| Digital Audio Output | 1 |

Mainboard Output Signal miniLVDS

Chipsets

| | |
|---------------------|-------------------------|
| OS version | VIDAA U8.5 |
| Chipset name | NT72690TBG-8C2K |
| CPU | CA53x4@1.1GHz |
| GPU | Mali-G52-2EE MC1 |
| L1 | |
| L2/L3 | |
| DDR | 1G |
| EMMC | 4G |

Power

| | |
|---------------------|-------|
| Power Consumption | 50W |
| Standby Consumption | ≤0.5W |

| | |
|--|--|
| Power Supply (Voltage/Hz) | AC120V,60Hz |
| Wide Power Supply | N |
| Smart | |
| Smart Platform | VIDAA U8.5 |
| On Screen Display | Eng/Fre/Spa/Por |
| App Store | VIDAA Store |
| TV System | ATSC/J.83B、ISDB-T、NTSC、PAL |
| Web Browser | Odin |
| Closed Caption | Y |
| Noise Reduction | Y |
| Parental Control | Y |
| Sleep Timer | Y |
| Far-field Voice Recognition | N |
| Google Assistant | N |
| Alexa | Works with Alexa(Brasil, Mexico, Canada) |
| Siri | N |
| Google Home | Google smart home (Works with GA) |
| Chromecast | N |
| Apple Homekit | Y |
| Airplay | Y |
| Screen Mirror | Miracast, DLNA |
| Dimensions/Weight(lb&inch) | |
| TV Dimension (without the stand)(inch) | 28.4×16.8×3.1 inch |
| TV Dimension (with the stand)(inch) | 28.4×18.6×7.2 inch |
| Stand Material | Plastic |
| Color (Front cover, stand) | Black |
| Stand Dimension -Wide(LxW)(inch) | 24.7x7.2 inch |
| Stand Dimension -Narrow(LxW)(inch) | / |
| Stand Dimension -Height-High(inch) | / |
| Stand Dimension -Height-Low(inch) | / |
| TV Weight (without the stand)(lb) | 7.5 lb |
| TV Weight (with the stand)(lb) | 7.7 lb |
| Carton Dimensions(WxHxD)(inch) | 31.5x20.3x4.5 inch |
| Shipping Weight(lb) | 11.0 lb |
| Weight of carton box(lb) | 2.5 lb |
| Weight of plastic foam in package material(lb) | 0.3 lb |
| Weight of plastic in package material(lb) | 0 lb |
| Weight of packaging -paper, cardboard(lb) | 2.5 lb |
| Weight of packaging- EPS(lb) | 0.3 lb |
| Weight of packaging- foil PE(lb) | 0 lb |
| Weight of packaging- PVC(lb) | 0 lb |
| Weight of packaging- metal(lb) | 0 lb |
| Weight of packaging -paper(lb) | 0 lb |
| NA Number of packaging units(lb) | 10 |
| SA Number of packaging units(lb) | 5 |
| Dimensions/Weight(kg&mm) | |
| TV Dimension (without the stand)(mm) | 722×426×78 mm |
| TV Dimension (with the stand)(mm) | 722×472×183 mm |
| Stand Dimension -Wide(LxW)(mm) | 627x183 mm |
| Stand Dimension -Narrow(LxW)(mm) | / |
| Stand Dimension -Height-High(mm) | / |
| Stand Dimension -Height-Low(mm) | / |
| TV Weight (without the stand)(kg) | 3.4 kg |

| | |
|--|----------------|
| TV Weight (with the stand)(kg) | 3.5 kg |
| Carton Dimensions(WxHxD)(mm) | 800x515x115 mm |
| Shipping Weight(kg) | 5.0 kg |
| Weight of carton box(kg) | 1.12 kg |
| Weight of plastic foam in package material(kg) | 0.15 kg |
| Weight of plastic in package material(kg) | 0 kg |
| Weight of packaging -paper, cardboard(kg) | 1.12 kg |
| Weight of packaging- EPS(kg) | 0.15 kg |
| Weight of packaging- foil PE(kg) | 0 kg |
| Weight of packaging- PVC(kg) | 0 kg |
| Weight of packaging- metal(kg) | 0 kg |
| Weight of packaging -paper(kg) | 0 kg |

NA Number of packaging units(kg) 10

SA Number of packaging units(kg) 5

Wall Mount

Wall Mount Size 100×100

Wall Mount Screw M6

Hisense internally supported Wall Mount model LG200201A

Hisense internally supported Wall Mount material 350168-0129

Accessory

| | |
|---------------------|------------|
| Remote | Y |
| Battery | 2 |
| Power cord | 1 |
| HDMI cable | N |
| QSG | Y |
| Safety and Warranty | Y |
| Stand | Dual Stand |

Warranty/UPC

Warranty

UPC Code 888143022284

EAN Code 6942351415123