

General

Figure	
NA Market Model	40A45NV
SA Market Model	
Internal Model	40A40QSV
Sales Market	Panama, Guatemala, Chile, Peru, Bolivia, Uruguay, Paraguay, Costa Rica, Colombia, Brazil
Brand	Hisense

Premium Tech

MiniLed Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N
AI	N

Picture Quality

Class Size	40"
Display Area	39.5" diagonal
Panel type	VA
Display Aspect Ratio	16:09
Display	Flat
Resolution	FHD 1920*1080
Native refresh rate(Hz)	60Hz
Peaking Brightness(typical nits)	250typ
Static Contrast Ratio (w/ Local Dim)	5000typ
Viewing Angle H/V	178/178
Response Time (ms)	10 ms
Color Depth	8 Bit
Backlight	FULL ARRAY
Local Dimming	N
Local Dimming Zones	N
Wide Color Gamut	N
4K Upscale	N
MEMC	N
Motion Rate	120
Black Frame Insertion	N
HDR: Dolby Vision	N
HDR: HDR10+	N
HDR: HDR10	Y
HDR: Hybrid Log Gamma (HLG)	N
HDR10+ Adaptive	N
HDR10+ Gaming	N
Dolby Vision IQ	N
Dolby Gaming	N
IMAx Enhanced	N
Film Maker Mode	N

Other features

Game

HDR game mode	N
HSR	N
VRR(Variable Refresh Rate)	N
ALLM(Auto Low-latency Mode)	N
FreeSync	N
G-Sync	N
Other Game features	N

Audio Quality

Audio Enhancement	DTS Virtual X
Multi-Channel Audio	2.0 CH
Audio Power	2*7W
Sound send	N
Speaker Type	Embedded (down)
Bluetooth Audio	Y
Dual Audio-Bluetooth+ TV speaker	N
Dual Audio-2 Bluetooth	N
TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	Y

Hardware&Ports

Wi-Fi	IEEE 802.11 a/b/g/n/ac Dual band (2.4/5 GHz)
Bluetooth	BT 5.0
RF Antenna	1
Supported Format	480i、480p、720p、1080i、1080p
HDMI Inputs	HDMI1.4*2
HDMI 4K@120Hz	N
HDMI-eARC	Y, HDMI2
USB	USB2.0*1
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	1
Digital Audio Output	1
Mainboard Output Signal	miniLVDS

Chipsets

OS version	VIDAA U9
Chipset name	NT72690TBG-8C2K/W
CPU	CA53x4@1.1GHz
GPU	Mali-G52-2EE MC1
L1	\
L2/L3	\
DDR	1G
EMMC	4G

Power

Power Consumption	70W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	AC 100V~240V/50Hz
Wide Power Supply	Y

Smart

Smart Platform	VIDAA U9
On Screen Display	Eng/Fre/Spa/Por
App Store	VIDAA Store
TV System	ATSC/J.83B、ISDB-T、DVB-T2(6M)、NTSC、PAL
Web Browser	Odin
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Googel Assistant	N
Alexa	built-in Alexa(Brasil)

Siri	N
Google Home	N
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast, DLNA

Dimensions/Weight(lb&inch)

TV Dimension (without the stand)(in)	35.4X20.1X3.1
TV Dimension (with the stand)(inch)	35.4X22.0X7.2
Stand Material	Plastic
Color (Front cover, stand)	Black
Stand Dimension-Wide(LxW)(inch)	28.6X7.2
Stand Dimension-Narrow(LxW)(inch)	NA
Stand Dimension-Height-High(inch)	NA
Stand Dimension-Height-Low(inch)	NA
TV Weight (without the stand)(lb)	10.4lb
TV Weight (with the stand)(lb)	10.6lb
Carton Dimensions(WxHxD)(inch)	39.7x4.5x24.2
Shipping Weight(lb)	15.2
Weight of carton box(lb)	4.6
Weight of plastic foam in package	0.7
Weight of plastic in package material	0.02
Weight of packaging -paper, cardboard	4.4
Weight of packaging- EPS(lb)	0.7
Weight of packaging- foil PE(lb)	0.02
Weight of packaging- PVC(lb)	0
Weight of packaging- metal(lb)	0.004
Weight of packaging -paper(lb)	0.2
NA Number of packaging units(lb)	8
SA Number of packaging units(lb)	4

Dimensions/Weight(kg&mm)

TV Dimension (without the stand)(mm)	898X511X78
TV Dimension (with the stand)(mm)	898X559X183
Stand Dimension-Wide(LxW)(mm)	727x183
Stand Dimension-Narrow(LxW)(mm)	NA
Stand Dimension-Height-High(mm)	NA
Stand Dimension-Height-Low(mm)	NA
TV Weight (without the stand)(kg)	4.7kg
TV Weight (with the stand)(kg)	4.8kg
Carton Dimensions(WxHxD)(mm)	1008x113x615
Shipping Weight(kg)	6.9kg
Weight of carton box(kg)	2.1
Weight of plastic foam in package	0.3Kg
Weight of plastic in package material	0.01kg
Weight of packaging -paper, cardboard	2Kg
Weight of packaging- EPS(kg)	0.3Kg
Weight of packaging- foil PE(kg)	0
Weight of packaging- PVC(kg)	0
Weight of packaging- metal(kg)	0.0016kg
Weight of packaging -paper(kg)	0.1
NA Number of packaging units(kg)	8
SA Number of packaging units(kg)	4

Wall Mount

Wall Mount Size	200x100
-----------------	---------

Wall Mount Screw M6
Hisense internally supported Wall Mount LG200201A
Hisense internally supported Wall Mount 350168-0129

Accessory

Remote 中美洲及南美: ERF2H38H, EN2H38H
巴西: ERF2J38H, EN2J38H
Battery 2
Power cord 1
HDMI cable N
QSG Y
Safety and Warranty Y
Stand Dual Stand

Warranty/UPC

Warranty
UPC Code

888143022383

EAN Code

6942351415246
