

General

Figure

NA Market Model

\

SA Market Model

40A4NV

Internal Model

40A40QUV

Sales Market

USA, Canada, Mexico, Panama, Guatemala

Brand

Hisense

Premium Tech

MiniLed Technology

N

Quantum Dot Technology

N

AGLR(Low Reflection)

N

AI

Picture Quality

Class Size

40"

Display Area

39.5" diagonal

Panel type

VA INX V400HJB-P03-CG

Display Aspect Ratio

16:09

Display

Flat

Resolution

FHD 1920*1080

Native refresh rate(Hz)

60Hz

Peaking Brightness(typical nits)

250typ

Static Contrast Ratio (w/ Local Dimming)

5000typ

Viewing Angle H/V

178/178

Response Time (ms)

10 ms

Color Depth

8 Bit

Backlight

FULL ARRAY

Local Dimming

N

Local Dimming Zones

NA

Wide Color Gamut

N

4K Upscale

N

MEMC

N

Motion Rate

60

Black Frame Insertion

N

HDR: Dolby Vision

N

HDR: HDR10+

N

HDR: HDR10

N

HDR: Hybrid Log Gamma (HLG)

N

HDR10+ Adaptive

N

HDR10+ Gaming

N

Dolby Vision IQ	N
Dolby Gaming	N
IMAx Enhanced	N
Film Maker Mode	N
Other features	

Game

HDR game mode	N
HSR	N
VRR(Variable Refresh Rate)	N
ALLM(Auto Low-latency Mode)	N
FreeSync	N
G-Sync	N
Other Game features	N

Audio Quality

Audio Enhancement	DTS Virtual X
Multi-Channel Audio	2.0 CH
Audio Power	2*7W
Sound send	N
Speaker Type	Embedded (down)
Bluetooth Audio	N
Dual Audio-Bluetooth+ TV speaker	N
Dual Audio-2 Bluetooth	N

TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.) N

Hardware&Ports

Wi-Fi	IEEE 802.11 b/g/n 2.4G
Bluetooth	N
RF Antenna	1
Supported Format	480i、480p、720p、1080i、1080p
HDMI Inputs	HDMI1.4*2
HDMI 4K@120Hz	N
HDMI-eARC	Y, HDMI2
USB	USB2.0*1
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	1
Digital Audio Output	1

Mainboard Output Signal miniLVDS

Chipsets

OS version	VIDAA U8.5
Chipset name	NT72690TBG-8C2K
CPU	CA53x4@1.1GHz
GPU	Mali-G52-2EE MC1
L1	
L2/L3	
DDR	1G
EMMC	4G

Power

Power Consumption	70W
Standby Consumption	≤0.5W

Power Supply (Voltage/Hz)	AC120V,60Hz
Wide Power Supply	N
Smart	
Smart Platform	VIDAA U8.5
On Screen Display	Eng/Fre/Spa/Por
App Store	VIDAA Store
TV System	ATSC/J.83B、ISDB-T、NTSC、PAL
Web Browser	Odin
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Google Assistant	N
Alexa	Works with Alexa(Brasil, Mexico, Canada)
Siri	N
Google Home	Google smart home (Works with GA)
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast, DLNA
Dimensions/Weight(lb&inch)	
TV Dimension (without the stand)(inch)	35.4X20.1X3.1
TV Dimension (with the stand)(inch)	35.4X22.0X7.2
Stand Material	Plastic
Color (Front cover, stand)	Black
Stand Dimension -Wide(LxW)(inch)	28.6X7.2
Stand Dimension -Narrow(LxW)(inch)	NA
Stand Dimension -Height-High(inch)	NA
Stand Dimension -Height-Low(inch)	NA
TV Weight (without the stand)(lb)	10.4lb
TV Weight (with the stand)(lb)	10.6lb
Carton Dimensions(WxHxD)(inch)	39.7x4.5x24.2
Shipping Weight(lb)	15.2
Weight of carton box(lb)	4.6
Weight of plastic foam in package material(lb)	0.7
Weight of plastic in package material(lb)	0.02
Weight of packaging -paper, cardboard(lb)	4.4
Weight of packaging- EPS(lb)	0.7
Weight of packaging- foil PE(lb)	0.02
Weight of packaging- PVC(lb)	0
Weight of packaging- metal(lb)	0.004
Weight of packaging -paper(lb)	0.2
NA Number of packaging units(lb)	8
SA Number of packaging units(lb)	4
Dimensions/Weight(kg&mm)	
TV Dimension (without the stand)(mm)	898X511X78
TV Dimension (with the stand)(mm)	898X559X183
Stand Dimension -Wide(LxW)(mm)	727x183
Stand Dimension -Narrow(LxW)(mm)	NA
Stand Dimension -Height-High(mm)	NA
Stand Dimension -Height-Low(mm)	NA
TV Weight (without the stand)(kg)	4.7kg

TV Weight (with the stand)(kg)	4.8kg
Carton Dimensions(WxHxD)(mm)	1008x113x615
Shipping Weight(kg)	6.9kg
Weight of carton box(kg)	2.1
Weight of plastic foam in package material(kg)	0.3Kg
Weight of plastic in package material(kg)	0.01kg
Weight of packaging -paper, cardboard(kg)	2Kg
Weight of packaging- EPS(kg)	0.3Kg
Weight of packaging- foil PE(kg)	0
Weight of packaging- PVC(kg)	0
Weight of packaging- metal(kg)	0.0016kg
Weight of packaging -paper(kg)	0.1

NA Number of packaging units(kg) 8

SA Number of packaging units(kg) 4

Wall Amount

Wall Mount Size 200×100

Wall Mount Screw M6

Hisense internally supported Wall Mount mod LG200201A

Hisense internally supported Wall Mount mate 350168-0129

Accessory

Remote	Y
Battery	2
Power cord	1
HDMI cable	N
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand

Warranty/UPC

Warranty

UPC Code 888143021546

EAN Code 6942351414317