

General	
Figure	
NA Market Model	\
SA Market Model	43A4NV
Internal Model	43A40QUV
Sales Market	USA, Canada, Mexico, Panama, Guatemala
Brand	Hisense
Premium Tech	
MiniLed Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N
AI	
Picture Quality	
Class Size	43"
Display Area	42.5" diagonal
Panel type	IPS BOE HV430FHB-F94
Display Aspect Ratio	16:09
Display	Flat
Resolution	FHD 1920*1080
Native refresh rate(Hz)	60Hz
Peaking Brightness(typical nits)	250typ
Static Contrast Ratio (w/ Local Dimming)	1200typ
Viewing Angle H/V	178/178
Response Time (ms)	10 ms
Color Depth	8 Bit
Backlight	FULL ARRAY
Local Dimming	N
Local Dimming Zones	NA
Wide Color Gamut	N
4K Upscale	N
MEMC	N
Motion Rate	60
Black Frame Insertion	N
HDR: Dolby Vision	N
HDR: HDR10+	N
HDR: HDR10	N
HDR: Hybrid Log Gamma (HLG)	N
HDR10+ Adaptive	N
HDR10+ Gaming	N

Dolby Vision IQ	N
Dolby Gaming	N
IMAx Enhanced	N
Film Maker Mode	N
Other features	

Game

HDR game mode	N
HSR	N
VRR(Variable Refresh Rate)	N
ALLM(Auto Low-latency Mode)	N
FreeSync	N
G-Sync	N
Other Game features	N

Audio Quality

Audio Enhancement	DTS Virtual X
Multi-Channel Audio	2.0 CH
Audio Power	2*7W
Sound send	N
Speaker Type	Embedded (down)
Bluetooth Audio	N
Dual Audio-Bluetooth+ TV speaker	N
Dual Audio-2 Bluetooth	N

TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.) N

Hardware&Ports

Wi-Fi	IEEE 802.11 b/g/n (2.4GHz)
Bluetooth	N
RF Antenna	1
Supported Format	480i、480p、720p、1080i、1080p
HDMI Inputs	HDMI1.4*2
HDMI 4K@120Hz	N
HDMI-eARC	Y, HDMI2
USB	USB2.0*1
Ethernet (LAN)	0
Composite Video Input	1 (miniAVIN)
L/R Audio Input for Composite	1 (miniAVIN)
Earphone/Audio Output	1
Digital Audio Output	1

Mainboard Output Signal miniLVDS

Chipsets

OS version	VIDAA U8.5
Chipset name	NT72690TBG-8C2K
CPU	CA53x4@1.1GHz
GPU	Mali-G52-2EE MC1
L1	
L2/L3	
DDR	1G
EMMC	4G

Power

Power Consumption	75W
Standby Consumption	≤0.5W

Power Supply (Voltage/Hz)	AC120V,60Hz
Wide Power Supply	N
Smart	
Smart Platform	VIDAA U8.5
On Screen Display	Eng/Fre/Spa/Por
App Store	VIDAA Store
TV System	ATSC/J.83B、ISDB-T、NTSC、PAL
Web Browser	Odin
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Google Assistant	N
Alexa	Works with Alexa(Brasil, Mexico, Canada)
Siri	N
Google Home	Google smart home (Works with GA)
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast, DLNA
Dimensions/Weight(lb&inch)	
TV Dimension (without the stand)(inch)	37.8×22.0×3.0
TV Dimension (with the stand)(inch)	37.8×23.8×7.2
Stand Material	Plastic
Color (Front cover, stand)	Black
Stand Dimension -Wide(LxW)(inch)	30.7×7.2
Stand Dimension -Narrow(LxW)(inch)	NA
Stand Dimension -Height-High(inch)	NA
Stand Dimension -Height-Low(inch)	NA
TV Weight (without the stand)(lb)	11.9
TV Weight (with the stand)(lb)	12.1
Carton Dimensions(WxHxD)(inch)	42.3×25.8×5.0
Shipping Weight(lb)	19.6
Weight of carton box(lb)	4.63
Weight of plastic foam in package material(lb)	0
Weight of plastic in package material(lb)	0
Weight of packaging -paper, cardboard(lb)	1.1
Weight of packaging- EPS(lb)	0.661
Weight of packaging- foil PE(lb)	0.22
Weight of packaging- PVC(lb)	0
Weight of packaging- metal(lb)	0.0441
Weight of packaging -paper(lb)	0.441
NA Number of packaging units(lb)	8
SA Number of packaging units(lb)	4
Dimensions/Weight(kg&mm)	
TV Dimension (without the stand)(mm)	960×559×77
TV Dimension (with the stand)(mm)	960×604×183
Stand Dimension -Wide(LxW)(mm)	779×183
Stand Dimension -Narrow(LxW)(mm)	NA
Stand Dimension -Height-High(mm)	NA
Stand Dimension -Height-Low(mm)	NA
TV Weight (without the stand)(kg)	5.4

TV Weight (with the stand)(kg)	5.5
Carton Dimensions(WxHxD)(mm)	1075×656×126
Shipping Weight(kg)	8.9
Weight of carton box(kg)	2.1kg
Weight of plastic foam in package material(kg)	0
Weight of plastic in package material(kg)	0
Weight of packaging -paper, cardboard(kg)	0.5kg
Weight of packaging- EPS(kg)	0.3kg
Weight of packaging- foil PE(kg)	0.1kg
Weight of packaging- PVC(kg)	0
Weight of packaging- metal(kg)	0.02kg
Weight of packaging -paper(kg)	0.2kg

NA Number of packaging units(kg) 8

SA Number of packaging units(kg) 4

Wall Mount

Wall Mount Size 100×200

Wall Mount Screw M6

Hisense internally supported Wall Mount model LG200201A

Hisense internally supported Wall Mount material 350168-0129

Accessory

Remote	Y
Battery	2
Power cord	1
HDMI cable	N
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand

Warranty/UPC

Warranty

UPC Code 888143022291

EAN Code 6942351415130